



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Product	GLP-3 RT 5mg
Net Peptide Content	5.80 mg, 5.72 mg, 5.89 mg
Average Content (mg)	5.80

Certificate of Analysis



Accession Number	2510080151
Client	Modern Aminos
Search Code	Mode2510080151

Received Date:	10/8/2025
Reported Date:	10/11/2025

Lot	BX-P-K7M3
Average Purity	99.503%
Appearance	White Lyophilized Powder

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

Mass Identification	Result
Retatrutide	99.579%, 99.384%, 99.546%



Stephen Schmidt

COA: 2510080151

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Certificate of Analysis

Accession Number	2510080154
Client	Modern Aminos
Search Code	Mode2510080154


Received Date:	10/8/2025
Reported Date:	10/11/2025

Product	GLP-3 RT 5mg
---------	--------------

Lot	BX-P-K7M3
-----	-----------

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines

Endotoxin Threshold		Result
Replicate 1	≤ 0.05 EU/mL	Pass
Replicate 2	≤ 0.05 EU/mL	Pass



Stephen Schmidt

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

COA: 2510080154

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net

Certificate of Analysis



Client:
Modern Aminos

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=GACZ15OTF715

Sample Information

Sample Name GLP-3 RT 5mg, 3 vials **Client SID** Batch #: BX-P-K7M3 **Published** 2025-10-30 18:48

Results

Sample ID	SPL-2119-R01-S02	SPL-2119-R01-S01	SPL-2119-R01
TM-1004 Assay	6.178 mg	6.003 mg	6.166 mg
TM-1004 Purity	99.590 %	99.687 %	99.658 %
TM-1004 ID by RT	1.00	1.00	1.00
TM-1004 ID by Spectral	1000	1000	1000
TM-1004 Coelution	1000	1000	1000
TM-1004 System Suit	1.3 %RSD	1.3 %RSD	1.3 %RSD

Approvals

Created by

Ashlee Lust
President


Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-2119-R01



Attachment for SPL-2119-R01
Filename: SPL-2119_Zoomed.png



Attachment for SPL-2119-R01
Filename: SPL-2119.png